

REFRIGERATED INCUBATORS

(+5°C TO +40°C / 60°C)

Image: LE-519 and TREI-220-1-SD



Thermoline Refrigerated Incubators

- Self contained air cooled refrigeration system offering quiet operation and ozone friendly refrigerant
- Visual indication of set point & internal temperatures
- Precise temperature control $\pm 0.2^{\circ}\text{C}$ at set point with 0.1°C readability
- Cable port hole
- Adjustable open wire chrome plated shelves
- Auto over temperature safety cut out
- Sliding window cover for 150 and 490 litre models

Head Office Phone (02) 9604 3911
Head Office Fax (02) 9725 1706

Email info@thermoline.com.au
Web www.thermoline.com.au

 **Thermoline**
S C I E N T I F I C
H I G H E R S T A N D A R D S I N S C I E N C E

PRODUCT DETAILS

Thermoline has three economy refrigerated incubators available in 150, 220 and 490 litres in capacity. All models feature precision temperature control with fan forced air circulation. Adjustable temperature range available for the 150 litre and 490 litre models is from +5°C to +60°C, with the cabinet capable of running at 0°C for a maximum of three days before defrosting is required. The 220 litre model has an adjustable temperature range limited to +5°C to +40°C.

Both 150 litre and 490 litre models have a powder coated steel exterior with a polished stainless steel interior. The 220 litre model has a durable white plastic interior and white enamelled steel exterior.

Available Temperature Ranges

LE-509 : +5°C to +60°C (0°C for a limited period)

TREI-220-1-SD : +5°C to +40°C

LE-519 : +5°C to +60°C (0°C for a limited period)

Safety Features

CFC free refrigeration

Over current protection

Auto over temperature safety (Failsafe)

Optional Accessories

POWER GUARD, offering protection against Low Voltage, High Voltage Spikes

Alarms with Audible & Visual indication & remote contacts

Auto dialler on alarm action

Extra shelves

Additional cable entry points

SPECIFICATIONS

Model	LE-509	TREI-220-1-SD	LE-519
Temperature Range	+5°C to +60°C	+5°C to +40°C	+5°C to +60°C
Internal Dimensions (HxWxD mm)	500x600x500	1270x440x400	1200x700x580
Capacity (litres)	150	220	490
External Dimensions (HxWxD mm)	890x680x710	1550x540x550x	1770x790x800
Shelves	3	4	6
Electrical (Amps)	5	4	8
Weight (kg)	90	95	188

Thermoline Scientific have been manufacturing and distributing high quality laboratory and scientific testing equipment since 1970. Over this time, Thermoline has grown to be a leading brand in the science industry, with our equipment being used in small and large Hospitals, Universities and Research Laboratories across Australia and the Asia Pacific region.

We're proud to say that we are 100% Australian owned and operated.

Head Office Phone (02) 9604 3911

Head Office Fax (02) 9725 1706

Email info@thermoline.com.au

Web www.thermoline.com.au