

ULTRASONIC BATHS

(AMBIENT +5°C TO +50°C)

Image: UB-420, UB-410 and UB-405



Powersonic Digital Ultrasonic Water Baths

- Adjustable temperature range up to 50°C
- Accurate digital PID temperature controller
- Durable ABS moulded plastic body
- Seamless stainless steel tank with radial corners
- Adjustable digital timer from 0 to 99 minutes
- Stainless steel baskets supplied standard
- Built in drain valve

Head Office Phone (02) 9604 3911
Head Office Fax (02) 9725 1706

Email info@thermoline.com.au
Web www.thermoline.com.au

 **Thermoline**
S C I E N T I F I C
H I G H E R S T A N D A R D S I N S C I E N C E

PRODUCT DETAILS

Three powerful and reliable models available in the digital Powersonic range. Each model has a built in microprocessor, built in thermometer, 0 to 99 minute timer with alarm to indicate cycle end, built in drain valve and perforated stainless steel baskets.

The units are made with moulded plastic which makes them durable and long lasting.

SPECIFICATIONS

Model	UB-405	UB-410	UB-420
Capacity	5 litres	10 litres	20 litres
Bath Dimensions (LxWxD mm)	300x155x150	300x240x150	500x300x150
External Dimensions (LxWxD mm)	500x285x255	510x275x275	720x450x275
Temperature Range	Ambient to 50°C		
Temperature Control	Digital PID		
Transducer	Industrial BLT type		
Frequency	40kHz		
Housing Material	ABS moulded plastic		
Power (W)	350	500	700
Weight (kg)	7	9	14

Thermoline Scientific have been manufacturing and distributing high quality laboratory and scientific testing equipment since 1970. Over this time, Thermoline has grown to be a leading brand in the science industry, with our equipment being used in small and large Hospitals, Universities and Research Laboratories across Australia and the Asia Pacific region.

We're proud to say that we are 100% Australian owned and operated.

Head Office Phone (02) 9604 3911

Head Office Fax (02) 9725 1706

Email info@thermoline.com.au

Web www.thermoline.com.au

ULTRASONIC BATHS

(AMBIENT +5°C TO +90°C)

Image: WUC-D10H



Daihan Digital and Analogue Ultrasonic Water Baths

- Adjustable temperature range up to 90°C
- Option to turn ultrasonics on and off *
- Digital LCD display with backlight *
- Durable stainless steel construction
- Seamless stainless steel tank
- Adjustable timer
- Stainless steel baskets supplied standard
- Built in drain valve to 10 and 22 litre models



WUC-A10H analogue shown above

* Feature only available on digital models

Head Office Phone (02) 9604 3911

Head Office Fax (02) 9725 1706

Email info@thermoline.com.au

Web www.thermoline.com.au

PRODUCT DETAILS

These digital and analogue ultrasonic baths provide effective cleaning in small and hard to reach places. These models are constructed from stainless steel, have drain valves for easy drainage (10 and 22 litre models) and are supplied complete with a stainless steel basket. The WiseClean range is economic and easy to operate.

Analogue Model Features (turn dials)

Adjustable timer from 0 to 30 minutes

Adjustable temperature range from ambient +5°C to 90°C (A02H model has a fixed temperature of 75°C)

Drain valve on 10 and 22 litre models

Stainless steel baskets in all models

Digital Model Features (digital LCD display)

Adjustable timer for 0 to 99 minutes

Adjustable temperature range from ambient +5°C to 90°C

Drain valve on 10 and 22 litre models

Stainless steel baskets in all models

Option to turn ultrasonics on and off

SPECIFICATIONS

Model	WUC-A02H	WUC-A03H	WUC-A06H	WUC-A10H	WUC-A22H
Capacity	1.8 litres	3 litres	6 litres	10 litres	22 litres
Tank Dimensions (WxDxH mm)	150x135x100	240x140x100	290x150x150	290x240x150	500x300x150
Temperature Range	Fixed 75°C	Ambient +5°C to 90°C			
Frequency	40kHz				
Power (W)	170	300	370	590	810
Weight (kg)	3	3.5	5	6	9

Model	WUC-D06H	WUC-D10H	WUC-D22H
Capacity	6 litres	10 litres	22 litres
Tank Dimensions (WxDxH mm)	290x150x150	290x240x150	500x300x150
Temperature Range	Ambient +5°C to 90°C		
Frequency	40kHz		
Power (W)	370	590	810
Weight (kg)	5	6	9

Thermoline Scientific have been manufacturing and distributing high quality laboratory and scientific testing equipment since 1970. Over this time, Thermoline has grown to be a leading brand in the science industry, with our equipment being used in small and large Hospitals, Universities and Research Laboratories across Australia and the Asia Pacific region.

We're proud to say that we are 100% Australian owned and operated.

Head Office Phone (02) 9604 3911

Head Office Fax (02) 9725 1706

Email info@thermoline.com.au

Web www.thermoline.com.au