



Refrigerated Water Baths

*Designed and manufactured in Australia by
Thermoline*

ABN: 80 000 859 129
Head Office: 10-12 Ross Place
Wetherill Park NSW 2164 Australia

Phone: +61 2 9604 3911
Email: hello@thermoline.com.au
Web: www.thermoline.com.au

Proudly Family- Owned and Operated

Today, we remain a proud second-generation family business



A family
owned
Australian
business



Refrigerated Water Baths

Designed and Manufactured by **Thermoline**

The Thermoline Refrigerated Water Baths are designed to operate from ambient -5°C to $+80^{\circ}\text{C}$ with alarms set at 3°C above and below the setpoint. The water is circulated throughout the bath using the TU3 heater circulator, creating a uniform temperature throughout the bath. Using the built in circulation pump the bath can control the temperature in other vessels.

- **Models available:**

Thermoline have two refrigerated water baths available, both designed and manufactured in Australia. Both use the Thermoline TU3 heater circulator in conjunction with a refrigeration unit to control the fluid temperature. The TWBRC-12 is supplied with a flat stainless steel and the TWBRC-24 a clear polycarbonate gable lid.



- **Digital Controller:**

The Omron E5CC-T uses an automated programmable microprocessor to control the temperature within $\pm 0.1^{\circ}\text{C}$. The bright LED display has a range of functions including high alarm, temperature calibration and programmable multi-setpoint functions.

- **Built-in Circulating Pump:**

In addition to the TU3 heater circulator the TWBRC range also have a built in highly efficient and long life circulating pump. The pump allows the water from the bath to be circulated outside of the bath to help control the temperature of another vessel such as a condenser.



- **Stainless Steel Tank:**

Stainless steel is durable, easy to clean and resistant to corrosion, making it the perfect choice for water containment. The tanks here are seamless and feature large radius corners for simple cleaning.



- **Drain Fitted on all models:**

Thermoline Water Baths come equipped with a drain for efficient cleaning and changing of the water in the bath.



Refrigerated Water Baths

Designed and Manufactured by **Thermoline**



Dimensions

External

WxDxH (mm) Including heater circulator

TWBRC-12

440x350x630

TWBRC-24

560x550x440

Internal

WxDxH (mm)

160x230x200

360x280x190

Spacing

Front (mm)

TWBRC-12

100

TWBRC-24

Back (mm)

100

Sides (mm)

100



See our Heater Circulator Range. The TUC Range.

Refrigerated Water Baths

Designed and Manufactured by **Thermoline**

Technical Specifications

	TWBRC-12	TWBRC-24
Temperature Range	-5°C to +80°C (max temp with bath lid on)	-5°C to +80°C (max temp with bath lid on)
Temperature Stability	+/-0.2°C	+/-0.2°C
Heating Power	1000 watts	1000 watts
Electrical	7.5 Amps/ 230V	7.5 Amps/ 230V
Capacity	12L	24L
Refrigeration Capacity @ 5°C	300 watts (with lid on)	300 watts (with lid on)
Weight	35kgs	40kgs

Features

Omron E5CC-T Controller	✓	✓
Whisper Quiet Operation	✓	✓
Incoloy Heating Element	✓	✓
Built in circulator pump	✓	✓
Included Lid	Stainless Steel Flat Lid	Polycarbonate Gable Lid

Safety

Over Current Protection	✓	✓
Over Temperature Safety	✓	✓
Fibreglass Insulation	✓	✓





We are proudly Australian owned

We will continue to invest in Australian
manufacturing.

